References

1. Smith CM. Origin and uses of primum non nocere: above all, do no harm! J Clin Pharmacol. 2005;45(4):371-7. https://doi.org/10.1177/0091270004273680.
2. Brink A, Feldman C, Duse A, et al. Guideline for the management of nosocomial infections in South Africa. S Afr J Epidemiol Infect. 2006;21(3):152-60. https://doi.org/10.1080/10158782.2006.11441269.
3. Recommendations for infection control for the practice of anaesthesiology. American Society of Anesthesiologists [Internet]. 2012. Available from: http://www.asahq.org/For-Members/Standards-Guidelines-and-Statements.aspx.
4. Lowman W, Venter L, Scribante J. Bacterial contamination of re-usable laryngoscope blades during the course of daily anaesthetic practice. S Afr Med J. 2013;103(6):386-9. https://doi.org/10.7196/SAMJ.6385.
5. Samuel RA, Gopalan PD, Coovadia Y, Samuel R. Infection control in anaesthesia in regional, tertiary and central hospitals in KwaZulu-Natal. Part 1: Unsafe injection practices among anaesthetists. S Afr J Anaesth Analg. 2013;19(1):68-70. https://doi.org/10.1080/22201173.2013.10872894.
6. Samuel RA, Gopalan PD, Coovadia Y, Samuel R. Infection control in anaesthesia in regional, tertiary and central hospitals in KwaZulu-Natal. Part 2: Equipment contamination. S Afr J Anaesth Analg. 2013;19(3):146-51. https://doi.org/10.1080/22201173.2013.10872914.
7. Samuel RA, Gopalan PD, Coovadia Y, Samuel R. Infection control in anaesthesia in regional, tertiary and central hospitals in KwaZulu-Natal. Part 3: Decontamination practices. S Afr J Anaesth Analg. 2013;19(4):204-11. https://doi.org/10.1080/22201173.2013.10872925.
8. Mphahlele MJ, Lukhwareni A, Burnett RJ, Moropeng LM, Ngobeni JM. High risk of occult hepatitis B virus infection in HIV-positive patients from South Africa. J Clin Virol. 2006;35(1):14-20. https://doi.org/10.1016/j.jcv.2005.04.003.
9. Association of Anaesthetists of Great Britain and Ireland. Infection control in anaesthesia. Anaesthesia. 2008;63(9):1027-36. https://doi.org/10.1111/j.1365-2044.2008.05657.x.
10. McQuoid-Mason D. Hospital-acquired infections: when are hospitals legally liable? S Afr Med J. 2012;102(6):353-4. https://doi.org/10.7196/SAMJ.5664.
11. Rowley E, Dingwall R. The use of single-use devices in anaesthesia: balancing the risks to patient safety. Anaesthesia. 2007;62(6):569-74. https://doi.org/10.1111/j.1365-2044.2007.04995.x.
12. Rutala WA, Weber DJ. Sterilization, high-level disinfection, and environmental cleaning. Infect Dis Clin North Am. 2011;25(1):45-76. https://doi.org/10.1016/j.idc.2010.11.009.

13. Rutala WA, Weber DJ. New developments in reprocessing semicritical items. Am J Infect Control. 2013;41(5 Suppl):S60-6. https://doi.org/10.1016/j.ajic.2012.09.028.
14. Rutala WA, Weber DJ. Reprocessing semicritical items: Current issues and new technologies. Am J Infect Control 2016;44(5 Suppl):e53-62. https://doi.org/10.1016/j.ajic.2015.12.029.
15. Rutala WA, Weber DJ. Reprocessing semicritical items: Outbreaks and current issues. Am J Infect Control. 2019;47S:A79-A89. https://doi.org/10.1016/j.ajic.2019.01.015.
16. Ofstead CL, Heymann OL, Quick MR. Residual moisture and waterborne pathogens inside flexible endoscopes: evidence from a multisite study of endoscopes drying effectiveness. Am J Infect Control. 2018;46(6):689-96. https://doi.org/10.1016/j.ajic.2018.03.002.
17. Philips RA, Monaghan WP. Incidence of visible and occult blood on laryngoscope blades and handles. AANA Journal. 1997;65(3):241-6. https://doi.org/10.1016/S1075-4210(97)90017-1.
18. Dolan SA, Felizardo G, Barnes S, et al. APIC position paper: safe injection, infusion, and medication vial practices in health care. Am J Infect Control. 2010;38(3):167-72. https://doi.org/10.1016/j.ajic.2010.01.001.
19. Trépanier CA, Lessard MR, Brochu JG, Denault PH. Risk of cross-infection related to the multiple use of disposable syringes. Can J Anaesth. 1990;37(2):156-9. https://doi.org/10.1007/BF03005462.
20. Guidelines for isolation precautions: Preventing transmission of infectious agents in healthcare settings. Centers for Disease Control and Prevention. [Internet]: CDC; 2007. Available from: https://www.cdc.gov/infectioncontrol/pdf/guidelines/isolation-guidelines-H.pdf.
21. Guideline for isolation precautions: preventing transmission of infectious agents in healthcare settings. Centre for Disease Control and Prevention; 2007.
22. World Health Organization. SIGN Alliance Safe Injection Global Network: Advocacy booklet. WHO [Internet]; 2011.
23. Hauri AM, Armstrong GL, Hutin YJ. The global burden of disease attributable to contaminated injections given in healthcare settings. Int J STD AIDS. 2004;15(1):7-16. https://doi.org/10.1258/095646204322637182.
24. Reid S, Van Niekerk AA. Injection risks and HIV transmission in the Republic of South Africa. Int J STD AIDS. 2009;20(12):816-9. https://doi.org/10.1258/ijsa.2009.009230.
25. American Society of Anesthesiologists. Practice advisory for the prevention, diagnosis and management of infectious complications associated with neuraxial techniques: a report by the American Society of Anesthesiologists task force in infectious complications associated with neuraxial technique. Anaesthesiology. 2010;112(3):530-45. https://doi.org/10.1097/ALN.0b013e3181c4c7d8.
26. Zacher AN, Zornow MH, Evans G. Drug contamination from opening glass ampules. Anaesthesiology. 1991;75(5):893-5. https://doi.org/10.1097/00000542-199111000-00022.
27. Alter MJ, Ahtone J, Maynard JE. Hepatitis B virus transmission associated with a multiple-dose vial in a hemodialysis unit. Ann Intern Med. 1983;99(3):330-3. https://doi.org/10.7326/0003-4819-99-3-330.
28. Mattner F, Gastmeier P. Bacterial contamination of multiple-dose vials: a prevalence study. Am J Infect Control. 2004;32(1):12-6. https://doi.org/10.1016/j.ajic.2003.06.004.
29. O'Grady NP, Alexander M, Dellinger EP, et al. Guidelines for the prevention of intravascular catheter-related infections. Infect Control Hosp Epidemiol. 2002;23(12):759-69. https://doi.org/10.1017/S0195941700080577.
30. Macedo de Oliveira A, White KL, Leschinsky DP, et al. An outbreak of hepatitis C virus infections among outpatients at a hematology/oncology clinic. Ann Intern Med. 2005;142(11):898-902. https://doi.org/10.7326/0003-4819-142-11-200506070-00007.
31. Cole DC, Baslanti TO, Gravenstein NL, Gravenstein N. Leaving more than your fingerprint on the intravenous line: a prospective study on propofol anesthesia and implications of stopcock contamination. Anesth Analg. 2015;120(4):861-7. https://doi.org/10.1213/ANE.0b013e318292ed45.
32. Propofol Safety Signal. American Society of Anesthesiologists [Internet]; 2007. Available from: https://www.asahq.org/news/cdcalert054007.htm.
33. Gorski LA. The 2016 Infusion Therapy Standards of Practice. Home Healthcare Now. 2017;35(1):10-8. https://doi.org/10.1097/NHH.0000000000000481.
34. Recommendations for infection control for the practice of Anaesthesiology. American Society of Anesthesiologists; 2012. Available from: https://www.asahq.org/For-Members/standards-guidelines-and-statements.aspx.
35. Sax H, Allegranzi B, Uckay I, et al. 'My five moments of hand hygiene': A user centered design approach to understand, train, monitor and report hand hygiene. J Hosp Infect. 2007;67:9-21. https://doi.org/10.1016/j.jhin.2007.06.004.
36. Siegel J, Rhinehart E, Jackson M, Chiarello L, Healthcare Infection Control Practice Advisory Committee. 2007 Guidelines for Isolation Precautions: Preventing Transmission of Infectious Agents in Healthcare Settings. Last Update July 2019.
37. World Health Organization. Guidelines on hand hygiene in health care Geneva: WHO; 2009. Available from: https://apps.who.int/iris/bitstream/handle/10665/44102/9789241597906_eng.pdf;jsessionid=1048CA0FDE0D91D90B66DB43BA192089?sequence=1.
38. Larson E. Effects of handwashing agent, handwashing frequency, and clinical area on hand flora. Am J Infect Control. 1984;12(2):76-82. https://doi.org/10.1016/0196-6553(84)90020-8.
39. Larson EL, Hughes CA, Pyrek JD, et al. Changes in bacterial flora associated with skin damage on hands of health care personnel. Am J Infect Control. 1998;26(5):513-21. https://doi.org/10.1016/S0196-6553(98)70025-2.
40. Maki DG. Control of colonization and transmission of pathogenic bacteria in the hospital. Ann Intern Med. 1978;89(5 Pt 2 Suppl):777-80. https://doi.org/10.7326/0003-4819-89-5-777.
41. Lark RL, Van der Hyde K, Deeb GM, et al. An outbreak of coagulase-negative staphylococcal surgical-site infections following aortic valve replacement. Infect Control Hosp Epidemiol. 2001;22(10):618-23. https://doi.org/10.1086/501832.
42. Noble WC, Habbema JD, Van Furth R, Smith I, De Raay C. Quantitative studies on the dispersal of skin bacteria into the air. J Med Microbiol. 1976;9(1):53-61. https://doi.org/10.1099/00222615-9-1-53.
43. Pittet D, Dharan S, Touveneau S, Sauvan V, Perneger TV. Bacterial contamination of the hands of hospital staff during routine patient care. Arch Intern Med. 1999;159(8):821-6. https://doi.org/10.1001/archinte.159.8.821.
44. Samore MH, Venkataraman L, DeGirolami PC, Arbeit RD, Karchmer AW. Clinical and molecular epidemiology of sporadic and clustered cases of nosocomial Clostridium difficile diarrhea. Am J Med. 1996;100(1):32-40. https://doi.org/10.1016/S0002-9343(96)90008-X.
45. Boyce JM, Potter-Bynoe G, Chenevert C, King T. Environmental contamination due to methicillin-resistant Staphylococcus aureus: possible infection control implications. Infect Control Hosp Epidemiol. 1997;18(9):622-7. https://doi.org/10.2307/30141488.
46. Ojajärvi J. Effectiveness of hand washing and disinfection methods in removing transient bacteria after patient nursing. J Hyg (Lond). 1980;85(2):193-203. https://doi.org/10.1017/S0022172400063221.
47. Duckro AN, Blom DW, Lyle EA, Weinstein RA, Hayden MK. Transfer of vancomycin-resistant enterococci via health care worker hands. Arch Intern Med. 2005;165(3):302-7. https://doi.org/10.1001/archinte.165.3.302.
48. Lucet JC, Rigaud MP, Mentre F, et al. Hand contamination before and after different hand hygiene techniques: a randomized clinical trial. J Hosp Infect. 2002;50(4):276-80. https://doi.org/10.1053/jhin.2002.1202.
49. Bhalla A, Pultz NJ, Gries DM, et al. Acquisition of nosocomial pathogens on hands after contact with environmental surfaces near hospitalized patients. Infect Control Hosp Epidemiol. 2004;25(2):164-7. https://doi.org/10.1086/502369.
50. McBryde ES, Bradley LC, Whitby M, McElwain DL. An investigation of contact transmission of methicillin-resistant Staphylococcus aureus. J Hosp Infect. 2004;58(2):104-8. https://doi.org/10.1016/j.jhin.2004.06.010.
51. Ray AJ, Hoyen CK, Taub TF, Eckstein EC, Donskey CJ. Nosocomial transmission of vancomycin-resistant enterococci from surfaces. JAMA. 2002;287(11):1400-1.
52. Hayden MK, Blom DW, Lyle EA, Moore CG, Weinstein RA. Risk of hand or glove contamination after contact with patients colonized with vancomycin-resistant enterococcus or the colonized patients' environment. Infect Control Hosp Epidemiol. 2008;29(2):149-54. https://doi.org/10.1086/524331.
53. Pessoa-Silva CL, Dharan S, Hugonnet S, et al. Dynamics of bacterial hand contamination during routine neonatal care. Infect Control Hosp Epidemiol. 2004;25(3):192-7. https://doi.org/10.1086/502376.
54. Ehrenkranz NJ, Alfonso BC. Failure of bland soap handwash to prevent hand transfer of patient bacteria to urethral catheters. Infect Control Hosp Epidemiol. 1991;12(11):654-62. https://doi.org/10.2307/30146898.
55. Noskin GA, Stosor V, Cooper I, Peterson LR. Recovery of vancomycin-resistant enterococci on fingertips and environmental surfaces. Infect Control Hosp Epidemiol. 1995;16(10):577-81. https://doi.org/10.2307/30141097.
56. Döring G, Jansen S, Noll H, et al. Distribution and transmission of Pseudomonas aeruginosa and Burkholderia cepacia in a hospital ward. Pediatr Pulmonol. 1996;21(2):90-100. https://doi.org/10.1002/(SICI)1099-0496(199602)21:2<90::AID-PPUL5>3.0.CO;2-T.
57. Eckmanns T, Bessert J, Behnke M, Gastmeier P, Ruden H. Compliance with antiseptic hand rub use in intensive care units: the Hawthorne effect. Infect Control Hosp Epidemiol. 2006;27(9):931-4. https://doi.org/10.1086/507294.
58. Rotter ML. European norms in hand hygiene. J Hosp Infect. 2004;56 Suppl 2:S6-9. https://doi.org/10.1016/j.jhin.2003.12.024.
59. Pittet D, Mourouga P, Perneger TV. Compliance with handwashing in a teaching hospital. Infection Control Program. Ann Intern Med. 1999;130(2):126-30. https://doi.org/10.7326/0003-4819-130-2-199901190-00006.
60. Kuzu N, Ozer F, Aydemir S, Yalcin AN, Zencir M. Compliance with hand hygiene and glove use in a university-affiliated hospital. Infect Control Hosp Epidemiol. 2005;26(3):312-5. https://doi.org/10.1086/502545.
61. Yawson AE, Hesse AA. Hand hygiene practices and resources in a teaching hospital in Ghana. J Infect Dev Ctries. 2013;7(4):338-47. https://doi.org/10.3855/jidc.2422.
62. Biddle C, Shah J. Quantification of anesthesia providers' hand hygiene in a busy metropolitan operating room: what would Semmelweis think? Am J Infect Control. 2012;40:756-9. https://doi.org/10.1016/j.ajic.2011.10.008.

63. Munoz-Price LS, Bowdle A, Johnston BL. Infection prevention in the operating room anesthesia work area. Infect Control Hosp Epidemiol. 2019;40:1-17. https://doi.org/10.1017/ice.2018.303.
64. Bottone EJ, Cheng M, Hymes S. Ineffectiveness of handwashing with lotion soap to remove nosocomial bacterial pathogens persisting on fingertips: a major link in their intrahospital spread. Infect Control Hosp Epidemiol. 2004;25(3):262-4. https://doi.org/10.1086/502388.
65. McFarland LV, Mulligan ME, Kwok RY, Stamm WE. Nosocomial acquisition of Clostridium difficile infection. N Engl J Med. 1989;320(4):204-10. https://doi.org/10.1056/NEJM198901263200402.
66. Kampf G, Ostermeyer C. Influence of applied volume on efficacy of 3-minute surgical reference disinfection method prEN 12791. Appl Environ Microbiol. 2004;70(12):7066-9. https://doi.org/10.1128/AEM.70.12.7066-7069.2004.
67. Mackintosh CA, Hoffman PN. An extended model for transfer of micro-organisms via the hands: differences between organisms and the effect of alcohol disinfection. J Hyg (Lond). 1984;92(3):345-55. https://doi.org/10.1017/S0022172400064561.
68. Marples RR, Towers AG. A laboratory model for the investigation of contact transfer of micro-organisms. J Hyg (Lond). 1979;82(2):237-48. https://doi.org/10.1017/S0022172400025651.
69. Kramer A, Rudolph P, Kampf G, Pittet D. Limited efficacy of alcohol-based hand gels. Lancet (London, England). 2002;359(9316):1489-90. https://doi.org/10.1016/S0140-6736(02)08426-X.
70. Munoz-Price LS, Bowdle A, Johnson BL. SHEA guidance: Infection prevention in the operating room anesthesia work area. Infect Control Hosp Epidemiol. 2019;40:1-17. https://doi.org/10.1017/ice.2018.303.
71. Munoz-Price LS, Patel Z, Banks S. Randomized crossover study evaluationg the effect of a hand sanitizer dispenser on the frequency of hand hygiene among Anaesthesiology staff in the operating room. Infect Control Hosp Epidemiol. 2014;35:717-20. https://doi.org/10.1086/676425.
72. McNeil SA, Foster CL, Hedderwick SA, Kauffman CA. Effect of hand cleansing with antimicrobial soap or alcohol-based gel on microbial colonization of artificial fingernails worn by health care workers. Clin Infect Dis. 2001;32(3):367-72. https://doi.org/10.1086/318488.
73. Gupta A, Della-Latta P, Todd B, et al. Outbreak of extended-spectrum beta-lactamase-producing Klebsiella pneumoniae in a neonatal intensive care unit linked to artificial nails. Infect Control Hosp Epidemiol. 2004;25(3):210-5. https://doi.org/10.1086/502380.
74. Cimon K, Featherstone R. Jewellery and nail polish worn by health care workers and the risk of infection transmission: a review of clinical evidence and guidelines. J Hosp Infect. 2017.
75. Hewlett AL, Hohenberger H, Murphy CN, et al. Evaluation of the bacterial burden of gel nails, standard nail polish, and natural nails on the hands of health care workers. Am J Infect Control. 2018;46(12):1356-9. https://doi.org/10.1016/j.ajic.2018.05.022.
76. Gao P, Horvatin M, Niezgoda G. Effect of multiple alcohol based hand rub applications on the tensile properties of thirteen brands of medical exam nitrile and latex gloves. J Occup Environ Hyg. 2016;13:905-14. https://doi.org/10.1080/15459624.2016.1191640.
77. Willis-Owen C, Subramanian P, Kumari P, et al. Effects of 'bare below the elbows' policy on hand contamination of 92 doctors in a district general hospital. J Hosp Infect. 2010;75(2):116-9. https://doi.org/10.1016/j.jhin.2009.12.013.
78. Godbout E, Masroor N, Doll M, et al. Bare below the elbows in an academic medical center. Am J Infect Control. 2019;47(5):1030-1. https://doi.org/10.1016/j.ajic.2018.12.007.
79. Markel T, Gormley T, Greely D, et al. Wearing long sleeves while prepping a patient in the operating room decreases airborne contamination. Am J Infect Control. 2018;46(4):369-74. https://doi.org/10.1016/j.ajic.2017.10.016.
80. Ling ML, Ching P, Widitaputra A, et al. APSIC guidelines for disinfection and sterilization of instruments in health care facilities. Antimicrob Resist Infect Control. 2018;7:25. https://doi.org/10.1186/s13756-018-0308-2.
81. Wilson AJ, Nayak S. Disinfection, sterilzation and disposables. Anaesthetic and intensive care medicine. 2013;4(10):423-7. https://doi.org/10.1016/j.mpaic.2013.07.004.
82. Cullen MM, Trail A, Robinson M, Keaney M, Chadwick PR. Serratia marcescens outbreak in a neonatal intensive care unit prompting review of decontamination of laryngoscopes. J Hosp Infect. 2005;59(1):68-70. https://doi.org/10.1016/j.jhin.2004.08.003.
83. Nelson KE, Warren D, Tomasi AM, Raju TN, Vidyasagar D. Transmission of neonatal listeriosis in a delivery room. Am J Dis Child. 1985;139(9):903-5. https://doi.org/10.1001/archpedi.1985.02140110057029.
84. Foweraker JE. The laryngoscope as a potential source of cross-infection. J Hosp Infect. 1995;29(4):315-6. https://doi.org/10.1016/0195-6701(95)90282-1.
85. Beamer JE, Cox RA. MRSA contamination of a laryngoscope blade: a potential vector for cross infection. Anaesthesia. 1999;54(10):1010-1. https://doi.org/10.1046/j.1365-2044.1999.1133g.x.
86. Morell RC, Ririe D, James RL, Crews DA, Huffstetler K. A survey of laryngoscope contamination at a university and a community hospital. Anaesthesiology. 1994;80(4):960. https://doi.org/10.1097/00000542-199404000-00038.
87. Ballin MS, McCluskey A, Maxwell S, Spilsbury S. Contamination of laryngoscopes. Anaesthesia. 1999;54(11):1115-6. https://doi.org/10.1046/j.1365-2044.1999.01178.x.
88. Bond WW, Favero MS, Petersen NJ, et al. Survival of hepatitis B virus after drying and storage for one week. Lancet. 1981;1(8219):550-1. https://doi.org/10.1016/S0140-6736(81)92877-4.
89. Wenzel RP, Edmond MB. Tuberculosis infection after bronchoscopy. JAMA. 1997;278(13):1111. https://doi.org/10.1001/jama.1997.03550130085043.
90. Agerton T, Valway S, Gore B, et al. Transmission of a highly drug-resistant strain (strain W1) of Mycobacterium tuberculosis. Community outbreak and nosocomial transmission via a contaminated bronchoscope. JAMA. 1997;278(13):1073-7. https://doi.org/10.1001/jama.1997.03550130047035.
91. Spaulding EH. Chemical disinfection of medical and surgical materials. Ca L, editor. Philadelphia: Lea & Febiger; 1968.
92. Chrisco JA, DeVane G. A descriptive study of blood in the mouth following routine oral endotracheal intubation. AANA J. 1992;60(4):379-83.
93. Kuhar DT, Henderson DK, Struble KA, et al. Updated US Public Health Service guidelines for the management of occupational exposures to human immunodeficiency virus and recommendations for postexposure prophylaxis. Infect Control Hosp Epidemiol. 2013;34(9):875-92. https://doi.org/10.1086/672271.
94. Muscarella LF. Prevention of disease transmission during flexible laryngoscopy. Am J Infect Control. 2007;35(8):536-44. https://doi.org/10.1016/j.ajic.2006.09.010.
95. Rutala WA, Weber DJ, HICPAC. Guideline for disinfection and sterilization in healthcare facilities. CDC; 2017.
96. Muscarella LF. Recommendation to resolve inconsistent guidelines for reprocessing of sheathed and unsheathed rigid laryngoscopes. Infect Control Hosp Epidemiol. 2007;28(4):504-7. https://doi.org/10.1086/513447.
97. Machan MD, Monaghan WP, McDonough J, Hogan G. Emerging evidence in infection control: effecting change regarding use of disposable laryngoscope blades. AANA J. 2013;81(2):103-8.
98. Amour J, Le Manach YL, Borel M, et al. Comparison of single-use and reusable metal laryngoscope blades for orotracheal intubation during rapid sequence induction of anesthesia: a multicenter cluster randomized study. Anaesthesiology. 2010;112(2):325-32. https://doi.org/10.1097/ALN.0b013e3181c92111.
99. Jabre P, Leroux B, Brohon S, et al. A comparison of plastic single-use with metallic reusable laryngoscope blades for out-of-hospital tracheal intubation. Ann Emerg Med. 2007;50(3):258-63. https://doi.org/10.1016/j.annemergmed.2007.04.022.
100. Bucx MJ, Veldman DJ, Beenhakker MM, Koster R. The effect of steam sterilisation at 134 degrees C on light intensity provided by fibrelight Macintosh laryngoscopes. Anaesthesia. 1999;54(9):875-8. https://doi.org/10.1046/j.1365-2044.1999.00948.x.
101. Bucx MJ, De Gast HM, Veldhuis J, et al. The effect of mechanical cleaning and thermal disinfection on light intensity provided by fibrelight Macintosh laryngoscopes. Anaesthesia. 2003;58(5):461-5. https://doi.org/10.1046/j.1365-2044.2003.03124.x.
102. Nishiyama T. Changes in the light intensity of the fiberoptic laryngoscope blade by steam sterilization. Anesth Analg. 2007;104(4):908-10. https://doi.org/10.1213/01.ane.0000255154.77505.c8.
103. Gadalla F, Fong J. Improved infection control in the operating room. Anaesthesiology. 1990;73(6):1295. https://doi.org/10.1097/00000542-199012000-00045.
104. Rutala WA, Weber DJ. Disinfection, sterilization, and antisepsis: Principles, practices, current issues, new research, and new technologies. Am J Infect Control. 2019;47S:A1-A2. https://doi.org/10.1016/j.ajic.2019.03.035.
105. Williams D, Dingley J, Jones C, Berry N. Contamination of laryngoscope handles. J Hosp Infect. 2010;74(2):123-8. https://doi.org/10.1016/j.jhin.2009.09.015.
106. Van Wicklin SA. Contamination and disinfection of rigid laryngoscopes: a literature review. AORN Journal. 2019;110(1):49-59. https://doi.org/10.1002/aorn.12724.
107. Negri de Sousa AC, Levy CE, De Freitas MIP. Laryngoscope blades and handles as sources of cross-infection: an integrative review. J Hosp Infect. 2013;83(4):269-75. https://doi.org/10.1016/j.jhin.2012.10.015.
108. Negri de Sousa AC, Vilas Boas VA, Levy CE, De Freitas MIP. Laryngoscopes: Evaluation of microbial load of blades. Am J Infect Control. 2016;44(3):294-8. https://doi.org/10.1016/j.ajic.2015.10.014.
109. Esler MD, Baines LC, Wilkinson DJ, Langford RM. Decontamination of laryngoscopes: a survey of national practice. Anaesthesia. 1999;54(6):587-92. https://doi.org/10.1046/j.1365-2044.1999.00755.x.
110. Simmons SA. Laryngoscope handles: a potential for infection. AANA J. 2000;68(3):233-6.
111. Call TR, Auerbach FJ, Riddell SW, et al. Nosocomial contamination of laryngoscope handles: challenging current guidelines. Anesth Analg. 2009;109(2):479-83. https://doi.org/10.1213/ane.0b013e3181ac1080.
112. Yee KF. Decontamination issues and perceived reliability of the laryngoscope--a clinician's perspective. Anaesth Intensive Care. 2003;31(6):658-62. https://doi.org/10.1177/0310057X0303100608.

113. MHRA. Single-use medical devices: implications and consequences of reuse. London: MHRA; 2018.
114. New Zealand Colleges of Anaesthetists. Guidelines for infection control in anaesthesia. 2005.
115. Guidelines for disinfection and sterilisation in healthcare facilities, 2008. Healthcare infection control practices advisory committee (HICPAC). Available from: https://www.cdc.gov/infectioncontrol/guidelines/disinfection/index.html.
116. GlideScope. Available from: https://www.verathon.com/gliderite-stylets/.
117. Miller DM, Youkhana I, Karunaratne WU, Pearce A. Presence of protein deposits on 'cleaned' re-usable anaesthetic equipment. Anaesthesia. 2001;56(11):1069-72. https://doi.org/10.1111/j.1365-2044.2001.02277.x.
118. Jerwood DC, Mortiboy D. Disinfection of gum elastic bougies. Anaesthesia. 1995;50(4):376. https://doi.org/10.1111/j.1365-2044.1995.tb04638.x.
119. Sriparkdee C, Rujirojindakul P, Pakpirom J, et al. Contamination of intubating stylets in operating rooms. J Hosp Infect. 2010. https://doi.org/10.1016/j.jhin.2010.04.002.
120. Masterton RG, Galloway A, French G. Guidelines for the management of hospital-acquired pneumonia of the British Society for Antimicrobial Chemotherapy. J Antimicrob Chemother. 2009;62(1):5-34. https://doi.org/10.1093/jac/dkn162.
121. Wilkes AR. Heat and moisture exchangers and breathing system filters: their use in anaesthesia and intensive care. Part 1 - history, principles and efficiency. Anaesthesia. 2011;66(1):31-9. https://doi.org/10.1111/j.1365-2044.2010.06563.x.
122. Vézina DP, Trépanier CA, Lessard MR, Gourdeau M, Tremblay C. Anesthesia breathing circuits protected by the DAR Barrierbac S breathing filter have a low bacterial contamination rate. Can J Anaesth. 2001;48(8):748-54. https://doi.org/10.1007/BF03016689.
123. Vézina DP, Trépanier CA, Lessard MR, et al. An in vivo evaluation of the mycobacterial filtration efficacy of three breathing filters used in anesthesia. Anaesthesiology. 2004;101(1):104-9. https://doi.org/10.1097/00000542-200407000-00017.
124. Daggan R, Zefeiridis A, Steinberg D, et al. High-quality filtration allows reuse of anesthesia breathing circuits resulting in cost savings and reduced medical waste. J Clin Anesth. 1999;11(7):536-9. https://doi.org/10.1016/S0952-8180(99)00083-5.
125. Rathgeber J, Kietzmann D, Mergeryan H, et al. Prevention of patient bacterial contamination of anaesthesia-circle-systems: a clinical study of the contamination risk and performance of different heat and moisture exchangers with electret filter (HMEF). Eur J Anaesthesiol. 1997;14(4):368-73. https://doi.org/10.1097/00003643-199707000-00005.
126. Wilkes AR. The ability of breathing system filters to prevent liquid contamination of breathing systems: a laboratory study. Anaesthesia. 2002;57(1):33-9. https://doi.org/10.1046/j.1365-2044.2002.02091.x.
127. Aarhus D, Søreide E, Holst-Larsen H. Mechanical obstruction in the anaesthesia delivery-system mimicking severe bronchospasm. Anaesthesia. 1997;52(10):992-4. https://doi.org/10.1111/j.1365-2044.1997.217-az0351.x.
128. Barnes SD, Normoyle DA. Failure of ventilation in an infant due to increased resistance of a disposable heat and moisture exchanger. Anesth Analg. 1996;83(1):193. https://doi.org/10.1213/00000539-199607000-00037.
129. Buckley PM. Increase in resistance of in-line breathing filters in humidified air. Br J Anaesth. 1984;56(6):637-43. https://doi.org/10.1093/bja/56.6.637.
130. Villafane MC, Cinnella G, Lofaso F, et al. Gradual reduction of endotracheal tube diameter during mechanical ventilation via different humidification devices. Anaesthesiology. 1996;85(6):1341-9. https://doi.org/10.1097/00000542-199612000-00015.
131. Cohen IL, Weinberg PF, Fein IA, Rowinski GS. Endotracheal tube occlusion associated with the use of heat and moisture exchangers in the intensive care unit. Crit Care Med. 1988;16(3):277-9. https://doi.org/10.1097/00003246-198803000-00013.
132. Barton RM. Detection of expiratory antibacterial filter occlusion. Anesth Analg. 1993;77(1):197. https://doi.org/10.1213/00000539-199307000-00040.
133. Prados W. A dangerous defect in a heat and moisture exchanger. Anaesthesiology. 1989;71(5):804. https://doi.org/10.1097/00000542-198911000-00033.
134. Prasad KK, Chen L. Complications related to the use of a heat and moisture exchanger. Anaesthesiology. 1990;72(5):958. https://doi.org/10.1097/00000542-199005000-00040.
135. Walton JS, Fears R, Burt N, Dorman BH. Intraoperative breathing circuit obstruction caused by albuterol nebulization. Anesth Analg. 1999;89(3):650-1.
136. Williams DJ, Stacey MR. Rapid and complete occlusion of a heat and moisture exchange filter by pulmonary edema (clinical report). Can J Anaesth. 2002;49(2):126-31. https://doi.org/10.1007/BF03020482.
137. Henriksson BA, Sundling J, Hellman A. The effect of a heat and moisture exchanger on humidity in a low-flow anaesthesia system. Anaesthesia. 1997;52(2):144-9. https://doi.org/10.1111/j.1365-2044.1997.17-az018.x.
138. Frink EJ, Nogami WM, Morgan SE, Salmon RC. High carboxyhemoglobin concentrations occur in swine during desflurane anesthesia in the presence of partially dried carbon dioxide absorbents. Anaesthesiology. 1997;87(2):308-16. https://doi.org/10.1097/00000542-199708000-00018.
139. Lentz RE. Carbon monoxide poisoning during anesthesia poses puzzles. J Clin Monit. 1995;11(1):66-7. https://doi.org/10.1007/BF01627423.
140. Wilkes AR. Heat and moisture exchangers and breathing system filters: their use in anaesthesia and intensive care. Part 2 - practical use, including problems, and their use with paediatric patients. Anaesthesia. 2011;66(1):40-51. https://doi.org/10.1111/j.1365-2044.2010.06564.x.
141. Lawes EG. Hidden hazards and dangers associated with the use of HME/filters in breathing circuits. Their effect on toxic metabolite production, pulse oximetry and airway resistance. Br J Anaesth. 2003;91(2):249-64. https://doi.org/10.1093/bja/aeg154.
142. Kramer A, Kranabetter R, Rathgeber J, et al. Infection prevention during anaesthesia ventilation by the use of breathing system filters (BSF): Joint recommendation by German Society of Hospital Hygiene (DGKH) and German Society for Anaesthesiology and Intensive Care (DGAI). GMS Krankenhhyg Interdiszip. 2010;5(2).
143. Chamney AR. Humidification requirements and techniques. Including a review of the performance of equipment in current use. Anaesthesia. 1969;24(4):602-17. https://doi.org/10.1111/j.1365-2044.1969.tb02914.x.
144. Kleemann PP. Humidity of anaesthetic gases with respect to low flow anaesthesia. Anaesth Intensive Care. 1994;22(4):396-408. https://doi.org/10.1177/0310057X9402200414.
145. Hartmann D, Jung M, Neubert TR, et al. Microbiological risk of anaesthetic breathing circuits after extended use. Acta Anaesthesiol Scand. 2008;52(3):432-6. https://doi.org/10.1111/j.1399-6576.2007.01529.x.
146. Lee MG, Ford JL, Hunt PB, Ireland DS, Swanson PW. Bacterial retention properties of heat and moisture exchange filters. Br J Anaesth. 1992;69(5):522-5. https://doi.org/10.1093/bja/69.5.522.
147. Hedley RM, Allt-Graham J. A comparison of the filtration properties of heat and moisture exchangers. Anaesthesia. 1992;47(5):414-20. https://doi.org/10.1111/j.1365-2044.1992.tb02225.x.
148. Vanderbroucke-Grauls CM, Teeuw KB, Ballemans K, et al. Bacterial and viral removal efficiency, heat and moisture exchange properties of four filtration devices. J Hosp Infect. 1995;29(1):45-56. https://doi.org/10.1016/0195-6701(95)90292-9.
149. Cann C, Hampson MA, Wilkes AR, et al. The pressure required to force liquid though breathing system filters. Anaesthesia. 2006;61(5):492-7. https://doi.org/10.1111/j.1365-2044.2006.04581.x.
150. Scott DHT, Fraser S, Wilson P, et al. Passage of pathogenic microorganisms through breathing system filters used in anesthesia and intensive care. Anesthesia. 2010;65(7):670-3. https://doi.org/10.1111/j.1365-2044.2010.06327.x.
151. Carter JA. Filters and small infants. Anaesthesia. 2004;59(7):670-3. https://doi.org/10.1111/j.1365-2044.2004.03842.x.
152. Carter JA. The reuse of breathing systems in anesthesia. Respirology Care Clinics of North America. 2006;12(2):275-86.
153. Hübner NO, Daeschlein G, Lehmann C, et al. Microbiological safety and cost-effectiveness of weekly breathing circuit changes in combination with heat moisture exchange filters: a prospective longitudinal clinical survey. GMS Krankenhhyg Interdiszip. 2011;6(1):Doc15.
154. Juwarkar CS. Cleaning and sterilisation of anaesthetic equipment. Indian J Anaesth. 2013;57(5):541-50. https://doi.org/10.4103/0019-5049.120152.
155. Demers RR. Bacterial/viral filtration: let the breather beware! Chest. 2001;120(4):1377-89. https://doi.org/10.1378/chest.120.4.1377.
156. Ip M, Tang JW, Hui DS, et al. Airflow and droplet spreading around oxygen masks: a simulation model for infection control research. Am J Infect Control. 2007;35(10):684-9. https://doi.org/10.1016/j.ajic.2007.05.007.
157. Malecka-Griggs B, Reinhardt DJ. Direct dilution sampling, quantitation, and microbial assessment of open-system ventilation circuits in intensive care units. J Clin Microbiol. 1983;17(5):870-7. https://doi.org/10.1128/JCM.17.5.870-877.1983.
158. Williams R, Rankin N, Smith T, Galler D, Seakins P. Relationship between the humidity and temperature of inspired gas and the function of the airway mucosa. Crit Care Med. 1996;24(11):1920-9. https://doi.org/10.1097/00003246-199611000-00025.
159. Wilkes AR. Breathing filters, humidifiers and nebulizers. In: Davey AJ, Diba A, editors. Ward's anaesthetic equipment. 5. London: Saunders, WB. p. 291-303.
160. ISO9360-1:2000. Anaesthetic and respiratory equipment heat and moisture exchangers (HMEs) for humidifying resoiraed gassess in humans. Part 1: HMEs for use with minimum tidal volumes of 250ml. Available from: https://www.iso.org.
161. Mebius C. Heat and moisture exchangers with bacterial filters: a laboratory evaluation. Acta Anaesthesiol Scand. 1992;36(6):572-6. https://doi.org/10.1111/j.1399-6576.1992.tb03521.x.
162. Holton J, Webb AR. An evaluation of the microbial retention performance of three ventilator-circuit filters. Intensive Care Med. 1994;20(3):233-7. https://doi.org/10.1007/BF01704708.
163. Wilkes AR, Benbough JE, Speight SE, Harmer M. The bacterial and viral filtration performance of breathing system filters. Anaesthesia. 2000;55(5):458-65. https://doi.org/10.1046/j.1365-2044.2000.01327.x.

164. American Thoracic Society guidelines for the management of adults with hospital acquired ventilator associated and health care associated pneumonia. Medicine. 2005;171(4):388-416. https://doi.org/10.1164/rccm.200405-644ST.
165. Chant K, Kociuba K, Munro R, et al. Investigation of possible patient- to patient transmission of Hepatitis C in a hospital. New South Wales Public Health Bulletin. 2005;5:47-51.
166. Heinsen A, Bendtsen F, Fomsgaard A. A phylogenetic analysis elucidating a case of patient-to-patient transmission of hepatitis C virus during surgery. J Hosp Infect. 2000;46(4):309-13. https://doi.org/10.1053/jhin.2000.0842.
167. Sutcliffe AJ. Can the life of "single use" breathing systems be extended. Anesthesia. 1995;50(4):283-5. https://doi.org/10.1111/j.1365-2044.1995.tb04599.x.
168. Lee N, Hui D, Wu A, et al. A major outbreak of severe acute respiratory syndrome in Hong Kong. N Engl J Med. 2003;348(20):1986-94. https://doi.org/10.1056/NEJMoa030685.
169. Hill AF, Desbruslais M, Joiner S, et al. The same prion strain causes vCJD and BSE. Nature. 1997;389(6650):448-50, 526. https://doi.org/10.1038/38925.
170. Will AF, Ironside JW, Zeiler MA. A new variant of Creutzfeldt-Jacob disease in the UK. Lancet. 1999;347(9006):921-5. https://doi.org/10.1016/S0140-6736(96)91412-9.
171. Hill AF, Butterworth RJ, Joiner S, et al. Investigation of variant Creutzfeldt-Jakob disease and other human prion diseases with tonsil biopsy samples. Lancet. 1999;353(9148):183-9. https://doi.org/10.1016/S0140-6736(98)12075-5.
172. Clery G, Brimacombe J, Stone T, Keller C, Curtis S. Routine cleaning and autoclaving does not remove protein deposits from reusable laryngeal mask devices. Anesth Analg. 2003;97(4):1189-91. https://doi.org/10.1213/01.ANE.0000080154.76349.5B.
173. Greenwood J, Green N, Power G. Protein contamination of the laryngeal mask airway and its relationship to re-use. Anaesth Intensive Care. 2006;34(3):343-6. https://doi.org/10.1177/0310057X0603400312.
174. Chu LF, Mathur P, Trudell JR, Brock-Utne JG. Contamination problems with the reuse of laryngeal mask airways and laryngoscopes. Saudi J Anaesth. 2008;2:58-61.
175. Cousens SN, Vynnycky E, Zeidler M, Will RG, Smith PG. Predicting the CJD epidemic in humans. Nature. 1997;385(6613):197-8. https://doi.org/10.1038/385197a0.
176. Rosenberg H, Marr A, Smith C. What is the cost of using and LMA? Anaesthesiology. 2007;95.
177. Perry SM, Monaghan WP. The prevalence of visible and/or occult blood on anesthesia and monitoring equipment. AANA J. 2001;69(1):44-8.
178. Albert NM, Hancock K, Murray T, et al. Cleaned, ready-to-use, reusable electrocardiographic lead wires as a source of pathogenic microorganisms. Am J Crit Care. 2010;19(6):e73-80. https://doi.org/10.4037/ajcc2010304.
179. Loftus RW, Koff MD, Burchman CC, et al. Transmission of pathogenic bacterial organisms in the anesthesia work area. Anaesthesiology. 2008;109(3):399-407. https://doi.org/10.1097/ALN.0b013e318182c855.
180. ACOG Committee Opinion No. 769 on reprocessed single-use devices. Obstet Gynecol. 2019;133(3):e235-e7. https://doi.org/10.1097/AOG.0000000000003124.
181. Ponce de Leon-R S. Reuse of disposable devices. 2018 [cited 16 April 2019]. Guide to infection control in the hospital [Internet]. International Society for Infectious Diseases. Available from: https://www.isid.org/wp-content/uploads/2018/02/ISID_InfectionGuide_Chapter9.pdf.
182. Ponchon T, Pioche M. Reprocessing single-use devices: A new season in a long-running show? A European perspective. Endoscopy. 2017;49(12):1195-7. https://doi.org/10.1055/s-0043-121988.
183. Shuman EK, Chenoweth CE. Reuse of medical devices: implications for infection control. Infect Dis Clin North Am. 2012;26(1):165-72. https://doi.org/10.1016/j.idc.2011.09.010.
184. World Health Organization. Decontamination and reprocessing of medical devices for healthcare facilities. Geneva: WHO; 2016. Available from: https://www.who.int/infection-prevention/publications/decontamination/en/.
185. Marshall J, Mermel LA, Fakih M, et al. Society for Healthcare Epidemiology of America. Strategies to prevent central line-associated bloodstream infections in acute care hospitals. Infect Control Hosp Epidemiol. 2014;35(7):753-71. https://doi.org/10.1086/676533.
186. Pronovost PJ, Needham D, Berenholtz S, et al. An intervention to decrease catheter-related bloodstream infections in the ICU. N Engl J Med. 2006;355(26):2725-32. https://doi.org/10.1056/NEJMoa061115.
187. Merrer J, De Jonghe B, Golliot F, et al. Complications of femoral and subclavian venous catheterization in critically ill patients: a randomized controlled trial. JAMA. 2001;286(6):700-7. https://doi.org/10.1001/jama.286.6.700.
188. Parienti JJ, Mongardon N, Megarbane B, et al. Intravascular complications of central venous catheterization by insertion site. N Engl J Med 2015;373(13):1220-9. https://doi.org/10.1056/NEJMoa1500964.
189. Hoggard J, Saad T, Schon D, et al. American Society of Diagnostic and Interventional Nephrology, Clinical Practice Committee; Association for Vascular Access [position statement]. Guidelines for venous access in patients with chronic kidney disease. Semin Dial. 2008;21(2)186-91.
190. Brass P, Hellmich M, Kolodziej L, et al. Ultrasound guidance versus anatomical landmarks for internal jugular vein catheterization. Cochrane Database Syst Rev 2015;1:CD006962. https://doi.org/10.1002/14651858.CD006962.pub2.
191. Brass P, Hellmich M, Kolodziej L, et al. Ultrasound versus anatomical landmarks for subclavian or femoral vein catheterization. Cochrane Database Syst Rev 2015;1:CD011447. https://doi.org/10.1002/14651858.CD011447.
192. Hind D, Calvert N, McWilliams R, et al. Ultrasonic locating devices for central venous cannulation: meta-analysis. BMJ. 2003;327(7411):361. https://doi.org/10.1136/bmj.327.7411.361.
193. Milling TJ, Rose J, Briggs WM, et al. Randomized, controlled clinical trial of point-of-care limited ultrasonography assistance of central venous cannulation: the third sonography outcomes assessment program (SOAP)-3 trial. Crit Care Med 2005; 33(8):1764-69. https://doi.org/10.1097/01.CCM.0000171533.92856.E5.
194. Templeton A, Schlegel M, Fleisch F, et al. Multilumen central venous catheters increase risk for catheter-related blood stream infection: prospective surveillance study. Infection 2008;36(4):322-7. https://doi.org/10.1007/s15010-008-7314-x.
195. Yeung C, May J, Hughes R. Infection rate for single lumen v triple lumen subclavian catheters. Infect Control Hosp Epidemiol.1988;9(4):154-58. https://doi.org/10.2307/30145423.
196. Desfulian C, Levelle J, Nallamothou BK, et al. Rates of infection for single-lumen versus multilumen central venous catheters: a meta-analysis. Crit Care Med. 2003;31(9):2385-90. https://doi.org/10.1097/01.CCM.0000084843.31852.01.
197. O'Grady NP, Alexander M, Burns LA, et al. Guidelines for the prevention of catheter-related infections. Clin Infect Dis. 2011;52(9):e162-93. https://doi.org/10.1093/cid/cir257.
198. Gorski L, Haddaway L, Hagle ME, et al. Infusion therapy standards of practice. Journal of Infusion Nursing. 2016;39(Suppl):S1-S159.
199. Raad II, Hohn DC, Gilbreath BJ, et al. Prevention of central venous catheter-related infections by using maximal sterile barrier precautions during insertion. Infect Control Hosp Epidemiol. 1994;15(4 Pt 1):231-38.
200. Carrer S, Bocchi A, Bortolotti M, et al. Effect of different sterile barrier precautions and central venous catheter dressing on the skin colonization around the insertion site. Minerva Anestesiol. 2005;71(5):197-206.
201. Sherertz RJ, Ely EW, Westbrook DM, et al. Education of physicians in-training can decrease the risk for vascular catheter infection. Ann Intern Med. 2000;132(8):641-8. https://doi.org/10.7326/0003-4819-132-8-200004180-00007.
202. Timsit J-F, Rupp M, Bouza E, et al. A state-of-the-art review on optimal practices to prevent, recognize, and manage complications associated with intravascular devices in the critically ill. Intensive Care Med. 2018;44:742-59. https://doi.org/10.1007/s00134-018-5212-y.
203. Maki DG, Ringer M, Alvarado CJ. Prospective randomised trial of povidone-iodine, alcohol and chlorhexidine for prevention of infection associated with central venous and arterial catheters. Lancet. 1991;338(8763):339-43. https://doi.org/10.1016/0140-6736(91)90479-9.
204. Mimoz O, Luset JC, Kerforne T, et al. Skin antisepsis with chlorhexidine-alcohol versus povidone-iodine, with and without skin scrubbing, for prevention of intravascular-catheter-related infection (CLEAN): an open-label, multicenter, randomized, controlled, two-by-two factorial trial. Lancet 2015;386(10008):2069-77. https://doi.org/10.1016/S0140-6736(15)00244-5.
205. Maki DG, Stolz SS, Wheeler S, Mermel LA. A prospective, randomized trial of gauze and two polyurethane dressings for site care of pulmonary artery catheters: implications for catheter management. Crit Care Med. 1994;22(11):1729-37. https://doi.org/10.1097/00003246-199422110-00006.
206. Madeo M, Martin CR, Turner C, et al. A randomized trial comparing Arglaes (a transparent dressing containing silver ions) to Tegaderm (a transparent polyurethane dressing) for dressing peripheral arterial catheters and central vascular catheters. Intensive Crit Care Nurs. 1998;14(4):187-91. https://doi.org/10.1016/S0964-3397(98)80512-0.
207. Ho KM, Litton E. Use of chlorhexidine-impregnated dressing to prevent vascular and epidural catheter colonization and infection: a meta- analysis. J Antimicrob Chemother. 2006;58(2):281-7. https://doi.org/10.1093/jac/dkl234.
208. Brun-Buisson C, Doyon F, Sollet JP, et al. Prevention of intravascular catheter-related infection with newer chlorhexidine-silver sulfadiazine-coated catheters: a randomized controlled trial. Intensive Care Med. 2004;30(5):837-43. https://doi.org/10.1007/s00134-004-2221-9.
209. Ullman AJ, Cooke ML, Mitchell M, et al. Dressings and securement devices for central venous catheters (CVC). Cochrane Database Syst Rev. 2015;9:Cd010367. https://doi.org/10.1002/14651858.CD010367.pub2.
210. Gillies D, Wallen MM, Morrison AL, et al. Optimal timing for intravenous administration set replacement. [Cochrane review]. In: The Cochrane Library, Issue 4 2005. Oxford: Update Software. https://doi.org/10.1002/14651858.CD003588.pub2
211. Maki DG, Botticelli JT, LeRoy ML, Thielke TS. Prospective study of replacing administration sets for intravenous therapy at 48- vs 72-hour intervals. 72 hours is safe and cost-effective. JAMA. 1987;258(13):1777-81. https://doi.org/10.1001/jama.1987.03400130091039.
212. Maki DG, Martin WT. Nationwide epidemic of septicemia caused by contaminated infusion products. IV. Growth of microbial pathogens in

fluids for intravenous infusions. J Infect Dis. 1975;131(3):267-72. https://doi.org/10.1093/infdis/131.3.267.
213. Bennett SN, McNeil MM, Bland LA, et al. Postoperative infections traced to contamination of an intravenous anesthetic, propofol. N Engl J Med. 1995;333(3):147-54. https://doi.org/10.1056/NEJM199507203330303.
214. Casey AL, Burnell S, Whinn H, et al. A prospective clinical trial to evaluate the microbial barrier of a needleless connector. J Hosp Infect. 2007;65(3):212-8. https://doi.org/10.1016/j.jhin.2006.09.029.
215. Btaiche IF, Kovacevich DS, Khalidi N, Papke LF. The effects of needleless connectors on catheter-related bloodstream infections. Am J Infect Control. 2011;39(4):277-83. https://doi.org/10.1016/j.ajic.2010.07.011.
216. Coopersmith CM, Rebmann TL, Zack JE, et al. Effect of an education program on decreasing catheter-related bloodstream infections in the surgical intensive care unit. Crit Care Med. 2002;30(1):59-64. https://doi.org/10.1097/00003246-200201000-00009.
217. Boyce JM, Pittet D. Guideline for hand hygiene in health-care settings: recommendations of the Healthcare Infection Control Practices Advisory Committee and the HICPAC/SHEA/APIC/IDSA Hand Hygiene Task Force. Infect Control Hosp Epidemiol. 2002;23(12 Suppl):S3-S40. https://doi.org/10.1086/503164.
218. Abi-Said D, Raad I, Umphrey J, et al. Infusion therapy team and dressing changes of central venous catheters. Infect Control Hosp Epidemiol. 1999;20(2):101-5.
219. Maki DG, Goldman DA, Rhame FS. Infection control in intravenous therapy. Ann Intern Med. 1973;79(6):867-87. https://doi.org/10.7326/0003-4819-79-6-867.
220. Traore O, Liotier J, Souweine B. Prospective study of arterial and central venous catheter colonization and of arterial and central venous catheter related bacteremia in intensive care units. Crit Care Med. 2005;33(6):1276-80. https://doi.org/10.1097/01.CCM.0000166350.90812.D4.
221. Maki DG, Ringer M. Risk factors for infusion-related phlebitis with small peripheral venous catheters. A randomized controlled trial. Ann Intern Med. 1991;114(10):845-54. https://doi.org/10.7326/0003-4819-114-10-845.
222. 2011 guidelines for the prevention of intravascular catheter-related infections. Centers for Disease Control and Prevention. CDC [Internet]. Available from: https://www.cdc.gov/hai/pdfs/bsi-guidelines-2011.pdf.
223. Guideline for disinfection and sterilisation in healthcare facilities, 2008. Healthcare Infection Control Practices Advisory Committee. HICPAC [Internet]. Available from: https://www.cdc.gov/infectioncontrol/pdf/guidelines/disinfection-guidelines-H.pdf.
224. Ruppen W, Derry S, McQuay H, Moore RA. Incidence of epidural hematoma, infection, and neurologic injury in obstetric patients with epidural analgesia/anesthesia. Anaesthesiology. 2006;105(2):394-9. https://doi.org/10.1097/00000542-200608000-00023.
225. Saving Mothers 2008-2010: Fifth report on the Confidential Enquiries Into Maternal Deaths in South Africa. Pretoria: Department of Health; 2012.
226. American Society of Anesthesiologists Task Force: Practice advisory for the prevention, diagnosis and management of infectious complications associated with neuraxial techniques. Anaesthesiology. 2010;110(3):530-45.
227. ANZCA. Guidelines on Infection Control in Anaesthesia 2015. Available from: http://www.anzca.edu.au/documents/ps28bp-2015-guidelines-on-infection-control-in-ana.
228. Hartley JC, Mackay AD, Scott GM. Wrist watches must be removed before washing hands. BMJ. 1999;318(7179):328. https://doi.org/10.1136/bmj.318.7179.328a.
229. Salisbury D, Hutfilz P, Treen L, et al. The effect of rings on microbial load of health care workers' hands. Am J Infect Control. 1997;25(1):24-7. https://doi.org/10.1016/S0196-6553(97)90049-3.
230. Baer ET. Post-dural puncture bacterial meningitis. Anaesthesiology. 2006;105(2):381-93. https://doi.org/10.1097/00000542-200608000-00022.
231. Schneeberger P, Janssen M, Voss A. Alpha-hemolytic streptococci: a major pathogen of iatrogenic meningitis following lumbar puncture. Case reports and a review of the literature. Infection. 1996;24(1):29-33. https://doi.org/10.1007/BF01780647.
232. North J, Brophy B. Epidural abscess: a hazard of spinal epidural anaesthesia. Aust N Z J Surg. 1979;49(4):484-5. https://doi.org/10.1111/j.1445-2197.1979.tb05847.x.
233. Philips BJ, Fergusson S, Armstrong P, Anderson FM, Wildsmith JA. Surgical face masks are effective in reducing bacterial contamination caused by dispersal from the upper airway. Br J Anaesth. 1992;69(4):407-8. https://doi.org/10.1093/bja/69.4.407.
234. CDC clinical reminder: Spinal injection procedures performed without a facemask pose risk of bacterial meningitis. Centers for Disease Control and Prevention; 2013.
235. Kinirons B, Mimoz O, Lafendi L, et al. Chlorhexidine versus povidone iodine in preventing colonization of continuous epidural catheters in children: a randomized, controlled trial. Anaesthesiology. 2001;94(2):239-44. https://doi.org/10.1097/00000542-200102000-00012.
236. Shibata S, Shibata I, Tsudy A, et al. Comparative effects of disinfectants on the epidural needle/catheter contamination with indigenous skin bacterial flora. Anaesthesiology. 2004;94(2):239-44.
237. Bevacqua BK, Slucky AV, Cleary WF. Is postoperative intrathecal catheter use associated with central nervous system infection? Anaesthesiology. 1994;80(6):1234-40. https://doi.org/10.1097/00000542-199406000-00010.
238. Seth N, Macqueen S, Howard RF. Clinical signs of infection during continuous postoperative epidural analgesia in children: the value of catheter tip culture. Paediatr Anaesth. 2004;14(12):996-1000. https://doi.org/10.1111/j.1460-9592.2004.01553.x.
239. James FM, George RH, Naiem H, White GJ. Bacteriologic aspects of epidural analgesia. Anesth Analg. 1976;55(2):187-90. https://doi.org/10.1213/00000539-197603000-00013.
240. De Jong PC, Kansen PJ. A comparison of epidural catheters with or without subcutaneous injection ports for treatment of cancer pain. Anesth Analg. 1994;78(1):94-100. https://doi.org/10.1213/00000539-199401000-00017.
241. De Leon-Casasola OA, Parker B, Lema MJ, Harrison P, Massey J. Postoperative epidural bupivacaine-morphine therapy. Experience with 4,227 surgical cancer patients. Anaesthesiology. 1994;81(2):368-75. https://doi.org/10.1097/00000542-199408000-00015.
242. Mann TJ, Orlikowski CE, Gurrin LC, Keil AD. The effect of the biopatch, a chlorhexidine impregnated dressing, on bacterial colonization of epidural catheter exit sites. Anaesth Intensive Care. 2001;29(6):600-3. https://doi.org/10.1177/0310057X0102900606.
243. Mishra S, Bhatnagar S, Srikanti M, Gupta D. Clinical implication of routine bacterial culture from epidural catheter tips in postoperative cancer patients: a prospective study. Anaesthesia. 2006;61(9):878-82. https://doi.org/10.1111/j.1365-2044.2006.04753.x.
244. Wang LP, Hauerberg J, Schmidt JF. Incidence of spinal epidural abscess after epidural analgesia: a national 1-year survey. Anaesthesiology. 1999;91(6):1928-36. https://doi.org/10.1097/00000542-199912000-00046.
245. Capdevila X, Bringuier S, Borgeat A. Infectious risk of continuous peripheral nerve blocks. Anaesthesiology. 2009;110(1):182-8. https://doi.org/10.1097/ALN.0b013e318190bd5b.
246. Nseir S, Pronnier P, Soubrier S, et al. Fatal streptococcal necrotizing fasciitis as a complication of axillary brachial plexus block. Br J Anaesth. 2004;92(3):427-9. https://doi.org/10.1093/bja/aeh065.
247. Muradali D, Gold WL, Phillips A, Wilson S. Can ultrasound probes and coupling gel be a source of nosocomial infection in patients undergoing sonography? An in vivo and in vitro study. AJR Am J Roentgenol. 1995;164(6):1521-4. https://doi.org/10.2214/ajr.164.6.7754907.
248. Ohara T, Itoh Y, Itoh K. Ultrasound instruments as possible vectors of staphylococcal infection. J Hosp Infect. 1998;40(1):73-7. https://doi.org/10.1016/S0195-6701(98)90028-7.
249. Ohara T, Itoh Y, Itoh K. Contaminated ultrasound probes: a possible source of nosocomial infections. J Hosp Infect. 1999;43(1):73. https://doi.org/10.1053/jhin.1999.0618.
250. Gaillot O, Maruéjouls C, Abachin E, et al. Nosocomial outbreak of Klebsiella pneumoniae producing SHV-5 extended-spectrum beta-lactamase, originating from a contaminated ultrasonography coupling gel. J Clin Microbiol. 1998;36(5):1357-60. https://doi.org/10.1128/JCM.36.5.1357-1360.1998.
251. Weist K, Wendt C, Petersen LR, Versmold H, Rüden H. An outbreak of pyodermas among neonates caused by ultrasound gel contaminated with methicillin-susceptible Staphylococcus aureus. Infect Control Hosp Epidemiol. 2000;21(12):761-4. https://doi.org/10.1086/501729.
252. Chuan A, Tiong C, Maley M, Descallar J, Ziochos H. Decontamination of ultrasound equipment used for peripheral ultrasound-guided regional anaesthesia. Anaesth Intensive Care. 2013;41(4):529-34. https://doi.org/10.1177/0310057X1304100415.
253. Aseptic technique. Available from: http://www.ultrasoundblock.com/index.php/nerve-block-controversies/nerve-block-aseptic-technique.
254. Government of Canada. Serious risk of infection from ultrasound and medical gels: revision 2004. Available from: http://www.canadiensensante.gc.ca/recall-alert-rappel-avis/hc-sc/2004/14289a-eng.php.
255. Oleszkowicz SC, Chittick P, Russo V, et al. Infections associated with use of ultrasound transmission gel: proposed guidelines to minimize risk. Infect Control Hosp Epidemiol. 2012;33(12):1235-7. https://doi.org/10.1086/668430.
256. Altemeier W, Burke J, Puitt B, et al. Manual on control of infection in surgical patients. 2nd ed. Philadelphia: JB Lippincott; 1984.
257. Martin C, Auboyer M, Boisson H, et al. Antibioprophylaxis in surgery and interventional medicine (Adult patients). Update 2017. Anaesth Crit Care Pain Med. 2019;38(5):549-62. https://doi.org/10.1016/j.accpm.2019.02.017.
258. Brazler D, Dellinger E, Olsen K, et al. Clinical guidelines for antimicrobial prophylaxis in surgery. Surgical infections. 2013;14(1):73-164. https://doi.org/10.1089/sur.2013.9999.
259. Gifford C, Christelis N, Cheng A. Preventing postoperative infection: the anaesthetist's role. Continuous Education in Anaesthesia and Critical Care and Pain. 2011;11(5):151-6. https://doi.org/10.1093/bjaceaccp/mkr028.
260. Mauerman WJ, Nemergut EC, Warltier DC. The anesthesiologist's role in the prevention of surgical site infections. Anaesthesiology. 2006;105(2):413-21. https://doi.org/10.1097/00000542-200608000-00025.
261. Gawande A, Weiser T. WHO guidelines on safe surgery 2009: Safe Surgery Saves Lives. Switzerland: World Health Organization; 2009.

262. Lerano C, Manski-Nankervis J, James R, et al. Surgical antimicrobial prophylaxis. Australian Prescriber. 2017;40(6):225-9. https://doi.org/10.18773/austprescr.2017.073.
263. Balaras C, Dascalaki E, Gaglia A. HVAC and indoor thermal conditions in hospital operating rooms. Energy and Buildings. 2007;39:454-70. https://doi.org/10.1016/j.enbuild.2006.09.004.
264. IUSS. IUSS: Health facilities guide. Building engineering services. 2014.
265. Wood A, Moss C, Keenan A, Reed MR, Leaper DJ. Infection control hazards associated with the use of forced-air warming in operating theatres. J Hosp Infect. 2014;88(3):132-40. https://doi.org/10.1016/j.jhin.2014.07.010.
266. McGovern P, Albrecht M, Belani K, et al. Forced-air warming and ultra-clean ventilations do not mix: An investigation of theatre ventilation, patient warming and joint replacement infection in orthopaedics. J Bone Joint Surg Br. 2011;93-B(11). https://doi.org/10.1302/0301-620X.93B11.27124.
267. Kellam M, Dieckmann L, Austin P. Forced-air warming devices and the risk of surgical site infections. AORN. 2013;98(4):353-69. https://doi.org/10.1016/j.aorn.2013.08.001.
268. Sessler D, Olmsted R, Kuelpmann R. Forced-air warming devices do not worsen air quality in laminar flow operating rooms. Anesth Analg. 2011;113(6):1416-21. https://doi.org/10.1213/ANE.0b013e318230b3cc.
269. Guidelines for environmental infection control in healthcare facilities: Recommendations of CDC and the Healthcare Infection Control Practices Advisory Committee (HICPAC). Atlanta: CDC; Updated 2019.
270. Guidelines for environmental infection control in health care facilities: recommendations of CDC and the health infection control practices advisory committee (HICPAC). Chigago IL: American Society of Healthcare Engineering/ American Hospital Association; 2004.
271. Bonilla H, Zervas M, Kauffman C. Long term survival of Vancomycin-resistant Enterococcus Faecium on a contaminated surface. Infect Control Hosp Epidemiol. 1996;17:770-1. https://doi.org/10.2307/30141164.
272. AORN. RP summary: Recommended practices for environmental cleaning. AORN. 2014;99(5):583-6. https://doi.org/10.1016/j.aorn.2014.01.017.
273. Pedreira W, Zebollos J, Angenscheidt M. Efficacy and safety in environmental decontamination with fogging with superoxidized water XTERIDES (SW) against Bacillus Atrophaeus (BA) and methicillin resistant staphylococcus epiderminidis (MRSE). International Journal of Infectious Diseases. 2012;16:e382. https://doi.org/10.1016/j.ijid.2012.05.499.
274. Chan-Myers H, Chang G. Comparison of the surface disinfection capabilities of two different methods using automated devices: ultraviolet light versus hydrogen peroxide fogging machine. Am J Infect Control. 2012;40(5):e38. https://doi.org/10.1016/j.ajic.2012.04.063.
275. Roy M. Modern approaches to prevent surgical site infections. In: Wentzel R, editor. Prevention and Control of Nosocomial Infections. 4th ed. Baltimore: Williams & Wilkens; 2003. p. 369-84.
276. Braswell M, Spruce L. Implementing AORN Recommended practices for surgical attire. AORN Journal. 2012;95(1):122-40. https://doi.org/10.1016/j.aorn.2011.10.017.
277. Autorino C, Battenburg A, Blan A, et al. General assembly, prevention, operating room-surgical attire: proceedings of internal consensus on orthopedic infections. J Arthroplasty. 2019;34(2):S117-S25. https://doi.org/10.1016/j.arth.2018.09.061.
278. AORN. Guideline summary:surgical attire. The AORN Journal. 2015;101(2):198-200. https://doi.org/10.1016/j.aorn.2014.11.007.
279. Salassa T, Swiontkowski M. Surgical attire and the operating room: role in infection prevention. J Bone Joint Surg Am. 2014;96(17):1485-92. https://doi.org/10.2106/JBJS.M.01133.
280. Troy A, Gormley T, Greeley D, et al. Use of environmental air quality indicators to assess the types of surgical headgear typically used in a dynamic operating room environment. Journal of the American College of Surgeons. 2017;225(4):e29-e30. https://doi.org/10.1016/j.jamcollsurg.2017.07.598.
281. Summers M, Lynch P, Black T, et al. Hair as a reservoir of Staphylococci. J Clin Pathol. 1965;18:13-5. https://doi.org/10.1136/jcp.18.1.13.
282. Noble WC. Staphylococcus aureus on the hair. J Clin Pathol. 1966;19(6):570-2. https://doi.org/10.1136/jcp.19.6.570.
283. Schwarzkopf R, Takemoto R, Immerman I, Slover JD, Bosco JA. Prevalence of Staphylococcus aureus colonization in orthopaedic surgeons and their patients: A prospective cohort controlled study. J Bone Joint Surg Am. 2010;92(9):1815-7. https://doi.org/10.2106/JBJS.I.00991.
284. Galvin J, Almatroudi M, Vickery K. Patient shoe covers: Transferring bacteria from the floor onto surgical bedsheets. Am J Infect Control. 2016;44:1417-9. https://doi.org/10.1016/j.ajic.2016.03.020.
285. Hughes S, Anderson F. Infection in the operating room. J Bone Joint Surg Am. 1999;81:754-5. https://doi.org/10.1302/0301-620X.81B5.0810754.
286. Brouqui P, Baudjema S, Soto Aladro A, et al. New approaches to prevent health care associated infection. Clin Infect Dis. 2017;15(65):S50-S4. https://doi.org/10.1093/cid/cix433.
287. Atkinson J, Chartier Y, Pessoa-Silva C. Natural ventilation for infection control in health care settings. Geneva: World Health Organisation; 2009.
288. Shiu E, Leung N, Cowling B. Controversy around airborne versus droplet transmission of respiratory viruses: Implications for infection prevention. Curr Opin Infect Dis. 2019;32(4):372-9. https://doi.org/10.1097/QCO.0000000000000563.
289. Sokolove P, Moulin A. Standard precautions and infectious exposure management. In: Roberts J, editor. Clinical procedures in emergency medicine and acute care. 7th ed: Elsevier Inc.; 2017. p. 1470-80.
290. WHO. How to put on and how to remove personal protective equipment. 2015.
291. Using personal protective equipment. 2020. Available from: www.cdc.gov/coronavirus/2019-ncov/hcp/using-ppe.html.
292. Wong T, Lee C, Tam W, et al. Cluster of SARS among medical students exposed to single patient, Hong Kong. Emerg Infect Dis. 2004;10(2):269-76. https://doi.org/10.3201/eid1002.030452.
293. Arriero G, Taminato M, Kusahara D, Fram D. Compliance to empirical contact precautions for multi-drug resistant microorganisms. Am J Infect Control. 2019. https://doi.org/10.1016/j.ajic.2019.10.004.
294. MacIntyre C, Chughtai A, Rahman B, et al. The efficacy of medical masks and respirators against respiratory infection in health care workers. Influenza Other Respir Viruses. 2017;11(6):511-7. https://doi.org/10.1111/irv.12474.
295. Jensen P, Lambert L, Iademarco M. Guidelines for the preventing the transmission of Mycobacterium Tuberculosis in health care settings 2005. MMWR Recommendations and Reports. 2005;54.
296. Appendix B. Air Guidelines for Environmental Infection Control in Health-Care Facilities (2003): Centres for Disease Control; 2003 [Available from: https://www.cdc.gov/infectioncontrol/guidelines/environmental/appendix/air.html#tableb1.